## **SAFETY DATA SHEET**

ACCORDING TO HAZARDOUS SUBSTANCES AND NEW ORGANISMS ACT (HSNO 1996) & GHS REV 5 (2013)

REV	Description	Date	C.R. No.	Orig	Chkd	Apprd
1	First Issue (replaces TD075-SP-012 NZ	24-07-2018	3647	JC	ВС	СВ
2	HSNO hazards added. Adjustment of odour. Aligned with Ecolab format.	2020-05-19	4124	DK	JC	SM

TD075-SP-025 Date: 2020-05-19 Revision 2.0



### **SAFETY DATA SHEET**

ACCORDING TO HAZARDOUS SUBSTANCES AND NEW ORGANISMS ACT (HSNO 1996) & GHS REV 5 (2013)

# SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name : Bioquell HPV-AQ

Chemical Name : Hydrogen Peroxide Solution 35%

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use(s) : To be used in conjunction only with Bioquell Hydrogen Peroxide

Vapour Generating Equipment.

Product is for professional use only

1.3 Details of the Supplier

1.3.1 Details of the supplier of the Safety Data Sheet

Company Identification : Bioquell UK Limited

Address : 52 Royce Close

West Portway Andover Hampshire, UK SP10 3TS

Telephone : +44 (0) 1264 835 835 Fax : +44 (0) 1264 835 836

E-mail (details of responsible persons

within individual countries)

http://www.bioquell.com/en-uk/contact/distributors/

1.3.2 Details of New Zealand Supplier

Company Identification : Biodecon Ltd Address : 5 Argus Place

Glenfield Auckland 0627

New Zealand : +64 9 442 4025 : +64 9 443 5481

Info@biodecon.co.nz

1.4 Emergency telephone number

Telephone

Fax

E-mail

Emergency telephone number : New Zealand: +64 800 451719

Australia (Toll-Free): +61 1 800 686 951

USA: 1-760-476-3961 Use access code: 333809

### **SECTION 2. HAZARDS IDENTIFICATION**

2.1 Classification of the substance or mixture

**2.1.1 HSNO (1996)** : Oxidising liquid, medium: 5.1.1B

Acute toxic, harmful, oral/inhalation: 6.1D Specific organ toxic, harmful: 6.9B

Skin corrosive, PGII: 8.2B Eye corrosive: 8.3A Aquatic toxic, biocide: 9.1D Vertebrate toxic, harmful: 9.3C

TD075-SP-025 Page: 1/11 Date: 2020-05-19 Revision 2.0



2.2 Label elements

2.2.1 Label elements : According to HSNO (1996) & UN GHS 5<sup>th</sup> revised edition

Name(s) on Label : Bioquell HPV-AQ

Hazardous components : Hydrogen peroxide (35%)

Signal Word : DANGER

Hazard Pictogram :

Hazard statement(s) : **H272**: May intensify fire; oxidizer.

H302: Harmful if swallowed H315: Causes skin irritation H332: Harmful if inhaled

**H318:** Causes serious eye damage **H335**: May cause respiratory irritation

H412: Harmful to aquatic life with long lasting effects

H433: Harmful to terrestrial vertebrates.

Precautionary statement(s)

<u>Prevention</u>: P210: Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

**P220**: Keep away from clothing and other combustible materials. **P221**: Take any precaution to avoid mixing with combustibles.

**P260**: Do not breathe gas/mist/vapours/spray. **P264**: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product

P273: Avoid release of liquid to the environment

**P280**: Wear protective gloves/eye protection/face protection.

Response : P310: Immediately call a POISON CENTRE or doctor/physician

P330: Rinse mouth.

P363: Wash contaminated clothing before reuse.

**P301 + P330 + P331**: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P301 + P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water. P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304 + P340: IF INHALED: Remove person to fresh air and keep at

rest in a position comfortable for breathing

**P305 + P351 + P338**: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Storage & Disposal : P405: Store locked up.

**P501**: Dispose of contents / container in accordance with EWC160903,

or applicable local regulations

2.3 Other hazards : None

2.4 Additional Information : None

TD075-SP-025 Page: 2/11 Date: 2020-05-19 Revision 2.0



#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1 Mixtures

#### 3.1.1 Concentration

Substance Name: Concentration:

Hydrogen peroxide solution Ca. 35%

CAS-No.: 7722-84-1 / EC-No.:231-765-0 / Index-No.: 008-003-00-9

Classification according to HSNO (1996) & GHS 5th revised edition

Hazardous ingredient(s)	Hazard Class	Hazard Category	Route of exposure	H Phrases	HSNO Hazard classes
Hydrogen	Oxidising liquid	Category 2		H272	Oxidising liquid, medium: 5.1.1B
peroxide	Acute toxicity	Category 4	Inhalation	H332	Acute toxic, harmful,
solution 35%	Acute toxicity	Category 4	Oral	H302	oral/inhalation: 6.1D
	Skin irritant	Category 2		H315	Specific organ toxic, harmful: 6.9B
	Serious eye damage	Category 1		H318	Skin corrosive, PGII: 8.2B Eye corrosive: 8.3A
	Specific target organ toxicity – single exposure	Category 3	Inhalation	H335	Aquatic toxic, biocide: 9.1D Vertebrate toxic, harmful: 9.3C
	Chronic aquatic toxicity	Category 3		H412	
	Vertebrate toxicity	Category 3		H433	

**3.2** Additional Information : For full text of H/P phrases see section 2.

### **SECTION 4. FIRST AID MEASURES**



First aiders should refer to section 8 for appropriate PPE

4.1 Description of first aid measures

If inhaled

: Move the exposed person to fresh air immediately. If person is not breathing, contact emergency medical services, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison centre or doctor for further treatment advice.

<u>In case of skin contact</u>: Wash with plenty of water and soap.

Remove and wash contaminated clothing before re-use. If symptoms persist seek immediate medical attention.

<u>In case of eye contact</u> : Seek immediate medical attention.

Eyes should be washed immediately with plenty of water, also under the eyelids for 15-20 minutes.Remove contact lenses, if present, after

the first 5 minutes, then continue rinsing.

<u>If swallowed</u> : Seek immediate medical attention.

Rinse mouth and, if conscious, give 2 glasses of water. Never give

anything by mouth to an unconscious person.

DO NOT INDUCE VOMITING.

Oxygen or artificial respiration if needed.

TD075-SP-025 Page: 3/11 Date: 2020-05-19 Revision 2.0



4.2 Most important symptoms and effects, both acute and delayed

Inhalation : Inhalation of vapours is irritating to the respiratory system, may cause

throat pain and cough

Risk of: Nose bleeding, chronic bronchitis.

Skin Contact : Irritation

Risk of: Burn, erythema, blisters or even necrosis.

<u>Eye Contact</u> : Severe eye irritation

Risk of serious damage to eyes

Symptoms: Redness, Lachrymation, swelling of tissue.

<u>Ingestion</u> : Severe irritation

Symptoms: Nausea, Abdominal pain, Vomiting, Diarrohea, Risk of

chemical pneumonitis from product inhalation

4.3 Indication of immediate medical

attention and special treatment

needed

Consult with an ophthalmologist immediately in all cases. If accidently swallowed obtain immediate medical attention. When symptoms persist or in all cases of doubt, seek medical attention. Because of the likelihood of corrosive effects on the gastrointestinal tract after ingestion, attempts at evacuating the stomach via emesis induction or gastric lavage should be avoided.

### **SECTION 5. FIRE-FIGHTING MEASURES**

5.1 Extinguishing Media

Suitable Extinguishing Media : Water, do not use any other substance

Unsuitable Extinguishing Media : As above

5.2 Special hazards arising from the

substance or mixture

Not combustible. Decomposes under fire conditions to release oxygen that intensifies the fire. Risk of explosion in closed, unventilated

containers due to increased pressure from decomposition gases. Contact with combustible material may cause fire

**5.3** Advice for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-

contained breathing apparatus (SCBA).

Wear chemical resistant oversuit and boots (rubber or PVC)

Cool containers/tanks with water spray

If safe to do so, move product away from fire to secure area Prevent fire extinguishing water from contaminating surface water or

the ground water system.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel : Avoid contact with skin, eyes and clothing.

Prevent further leakage or spillage if safe to do so. Isolate and

signpost spill area. Eliminate all sources of ignition.

Advice for emergency responders : Wear suitable protective equipment. Refer to section 5 for fire-fighting;

section 4 for first-aid advice; and section 8 for minimum requirements

for personal protective equipment. Evacuate personnel to safe areas

Keep people away from and up wind of spill/leak

**6.2 Environmental precautions** : Do not allow to enter drains, sewers or watercourses.

Should not be released into the environment

**6.3** Methods and material for : Dam up

**containment and cleaning up**Do not mix waste streams during collection
Soak up with inert absorbant material

Keep in suitable, closed containers for disposal Never return spills in original containers for re-use

TD075-SP-025 Page: 4/11 Date: 2020-05-19 Revision 2.0



**6.4** Reference to other sections : Section 1 for emergency contact. Section 8 for information on

appropriate personal protective equipment.

6.5 Additional Information : None

### **SECTION 7. HANDLING AND STORAGE**

**7.1** Precautions for safe handling : Avoid ingestion, inhalation and contact with skin and eyes

Use only with adequate ventilation.

Keep away from heat and sources of ignition.

Keep container tightly closed.

Wear protective gloves/clothing and eye/face protection.

Keep away from incompatible products

Use only clean and dry utensils

7.2 Conditions for safe storage, including any incompatibilities

Storage Temperature : Store between 4°C to 25°C

Storage Conditions : Protect from light.

Keep only in original container

Keep away from combustible materials and sources of ignition and

heat.

Store in a receptacle equipped with a vent

Keep container closed

Regularly check the conditions and temperature of the containers.

Incompatible materials : Strong acids, strong alkalis, strong oxidising agents, strong reducing

agents, organic material, acetone and metals.

Suitable material : Aluminium 99.5%

Stainless steel passivated 316 Approved grades of HDPE

Polypropylene

7.3 Specific end use(s) : Apart from the use mentioned in Section 1.2 no other specific uses are

stipulated. For further information please contact supplier.

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### 8.1 Control parameters

### 8.1.1 Exposure Limit Values

Substance	Standard	Туре	Exposure Limit Value	Notes
		TWA	1 ppm	LTEL (8hr)
	UK.EH40 (2011) – Workplace Exposure	TWA	1.4 mg/m <sup>3</sup>	LTEL (8hr)
Hydrogon	Limits [WEL]	STEL	2 ppm	
Hydrogen Peroxide		STEL	2.8 mg/m <sup>3</sup>	
CAS: 7722-84-1	DE.MAK (2012) – Werte Liste	TWA	0.5 ppm	
GAG. 1122-04-1	DE.IVIAR (2012) - Welle Liste	TWA	0.71 mg/m <sup>3</sup>	
	US.ACGIH (2016) – Threshold Limit Values [TLV]	TWA	1 ppm	

TD075-SP-025 Page: 5/11 Date: 2020-05-19 Revision 2.0



#### 8.1.2 Other information on limit values

Substance	Limit	Conditions	Value	Notes
	Predicted No Effect	Fresh water	0.13 mg/l	
	Concentration [PNEC]	Marine water	0.013 mg/l	
Hydrogen		Sewage treatment plants	4.7 mg/l	
Peroxide	Derived No Effect	Workers, inhalation, acute exposure	3 mg/m <sup>3</sup>	Local effects
CAS: 7722-84-1	Level/Derived minimal	Workers, inhalation, chronic exposure	1.4 mg/m <sup>3</sup>	Local effects
	effect level	Consumers, inhalation, acute exposure	1.93 mg/m <sup>3</sup>	Local effects
	[DNEL/DMEL]	Consumers, inhalation, chronic exposure	0.21 mg/m <sup>3</sup>	Local effects

8.2 Exposure controls

**8.2.1** Appropriate engineering controls : Ensure adequate ventilation

Apply technical measures to comply with the occupational exposure

limits

8.2.2 Personal protection equipment

Eye/face protection : Wear chemical safety glasses with side shields, or splash-proof goggles

Skin protection (Hand protection/ Other) : Impervious gloves

Suitable material: PVC, butyl-rubber, nitrile rubber

Any specific glove information provided is based on published literature and glove-manufacturer data. Contact the glove manufacturer for glove selection and breakthrough times for your use conditions.

Inspect and replace worn or damaged gloves. Chemical resistant gloves are recommended.

If contact with forearms is likely, wear gauntlet–style gloves. Nitrile, CEN standards EN 420 and EN 374 provide general requirements and

list of glove types.

Respiratory protection



If engineering controls do not maintain airborne contaminant concentrations at a level which is adequate to protect worker health, an approved respirator may be appropriate. Respirator selection, use, and maintenance must be in accordance with regulatory requirements. Types of respirator to be considered for this mixture include: Half-face filter respirator; Type A filter material CEN standards EN136, EN140 and EN 405 provide respirator masks and EN 149 and EN 143 provide filter recommendations.

Hygiene Measures : Eye wash bottles or eye wash stations in compliance with applicable

standards

Take off contaminated clothing and shoes immediately

Wash contaminated clothing before re-use When using do not eat, drink or smoke

Wash hands before breaks and at the end of workday

Handle in accordance with good industrial hygiene and safety practice.

Thermal hazards : None Known

**8.2.3 Environmental Exposure Controls** : Dispose of rinse water in accordance with local and national regulations

See sections 6,7,12,13

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

9.1 Information on basic physical and chemical properties

Appearance : Liquid
Colour : Colourless
Odour : Odourless

TD075-SP-025 Page: 6/11 Date: 2020-05-19 Revision 2.0



Molecular weight : 34 g/mol pH (Value) :  $2.02 (H_2O_2 50\%)$ 

Melting Point (°C) / Freezing Point (°C) : -33°C (H<sub>2</sub>O<sub>2</sub> 35%)
Boiling point/boiling range (°C) : 108°C (H<sub>2</sub>O<sub>2</sub> 35%)
Flash Point (°C) : Not applicable
Evaporation rate : No data available

Evaporation rate : No data available Flammability (solid, gas) : Not applicable Explosive limit ranges. : No data available

Vapour Pressure (mm Hg) : 1 mbar (H<sub>2</sub>O<sub>2</sub> 50%) at 30°C

Vapour Density (Air=1) : 1

Density (g/ml) : 1.1 - 1.2

Solubility (Water) : Miscible with water Solubility (Other) : No data available

Partition Coefficient (n-Octanol/water) : Log Pow: -1.57, Method: calculated value

Auto Ignition Temperature (°C) : Not flammable

 $\label{eq:composition} \mbox{ Decomposition Temperature (°C)} \qquad : \qquad > 60 \mbox{°C, Self-accelerating decomposition temperature (SADT)}$ 

<60°C, Slow composition

Viscosity (mPa.s) : 1.17 mPa.s ( $H_2O_2 50\%$ ), at  $20^{\circ}\text{C}$ 

Explosive properties : Not explosive Oxidising properties : Non-oxidizing

9.2 Other information : Surface tension – 75.6 mN/m (H<sub>2</sub>O<sub>2</sub> 50%) at 20°C

### **SECTION 10. STABILITY AND REACTIVITY**

**10.1** Reactivity : Stable under normal conditions of use.

Decomposes on heating.

Potential for exothermic hazard.

**10.2 Chemical stability** : Stable under recommended storage conditions.

Sensitive to heat and light.

**10.3** Possibility of hazardous reactions : Contact with combustible material may cause fire.

Contact with flammables may cause fire or explosions.

Risk of explosion if heated under confinement.

Fire or intense heat may cause violent rupture of packages.

**10.4 Conditions to avoid** : Protect from freezing.

Contamination.

To avoid thermal decomposition, do not overheat.

10.5 Incompatible materials : Acids, bases, metals, Heavy metal salts, powdered metal salts,

reducing agents, organic materials, flammable materials.

10.6 Hazardous Decomposition

Product(s)

Oxygen

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### 11.1 Information on toxicological effects

11.1.1 Mixtures

Acute toxicity : Acute oral toxicity: LD50, rat, 1,270 mg/kg (H<sub>2</sub>O<sub>2</sub> 35%)

Acute inhalation toxicity: LC50 4h, rat, >0.17 mg/l, vapour ( $H_2O_2$  50%) Acute dermal toxicity: LD50, rabbit, >2,000 mg/kg ( $H_2O_2$  35%)

Skin corrosion/Irritation : Rabbit: skin irritation (H<sub>2</sub>O<sub>2</sub> 35%)

Irritating to skin. Effects may include: discolouration, Erythema,

Odema.

Serious eye damage/eye irritation : Rabbit: Severe eye irritation (H<sub>2</sub>O<sub>2</sub> 10%)

Corrosivity : Corrosive to eyes. May cause irreversible eye damage.

TD075-SP-025 Page: 7/11 Date: 2020-05-19 Revision 2.0



Sensitisation : Guinea pig, did not cause sensitization on laboratory animals

Repeated dose toxicity : Oral, 90-day, mouse, Gastrointestinal tract: 300 ppm LOAEL

Oral, 90-day, mouse: 100 ppm NOAEL

Inhalation, 28-day rat, respiratory system: 10ppm, LOAEL, vapour

Inhalation, 28-day, rat: 2ppm, NOAEL, vapour

Carcinogenicity : Oral, Prolonged exposure, mouse, Target organs: Duodenum,

carcinogenic effects

Dermal, prolonged exposure, mouse, animal testing did not show any

carcinogenic effects

Mutagenicity : In vitro tests have shown mutagenic effects

In vivo tests did not show mutagenic effects

Toxicity for reproduction : Substance is totally biotransformed (metabolized)

Study scientifically unjustified

Specific target organ toxicity - single

exposure

Inhalation, mice, 665 mg/m³. Remarks: RD 50, Irritating to respiratory

system, H<sub>2</sub>O<sub>2</sub> 50%

11.2 Other information : None

### **SECTION 12. ECOLOGICAL INFORMATION**

### 12.1 Toxicity

Active Ingredient	ient Duration Species		Value	Notes
	LC50, 96 hr	Pimephales promelas (fathead minnows)	16.4 mg/L	
	NOEC, 96 hr	Pimephales promelas	4.3 mg/L	
Hydrogen Peroxide	EC50, 48 hr	Crustaceans: Daphnia pulex (water flea)	2.4 mg/L	Fresh water, semi static test
CAS: 7722-84-1	NOEC, 48 hr	Crustaceans: Daphnia pulex	1 mg/L	Fresh water, semi static test
	EC50, 72 hr	Algae: Skeletonema costatum	2.6 mg/L	Growth rate
	NOEC, 72 hr	Algae: Skeletonema costatum	0.63 mg/L	
	NOEC, 72 hr	Algae: Chlorella vulgaris	0.1 mg/L	

### 12.2 Persistence and degradability

Abiotic Degradation : Air, indirect photo oxidation, t1/2: 24 hr (Conditions: sensitizer: OH

radicals)

Water, redox reaction, t1/2: 120 hr (Conditions: mineral and enzymatic

catalysis, fresh water, salt water)

Soil, redox reaction, t1/2: 12 hr (Conditions: mineral and enzymatic

catalysis)

Biodegradation : Aerobic, t1/2 < 2 min (Conditions: biological treatment sludge): Readily

biodegradable

Aerobic, t1/2 from 0.3 - 5 d (Conditions: fresh water): Readily

biodegradable

Anaerobic (Conditions: soil/sediments): Not applicable

**12.3** Bioaccumulative potential : Bioaccumulative potential: Log Pow -1.57

Result – does not bioaccumulate

TD075-SP-025 Page: 8/11 Date: 2020-05-19 Revision 2.0



12.4 Mobility in soil

Water : Considerable solubility and mobility

Soil/sediments : Log KOC: 0.2, non significant evaporation and adsorption

Air : Volatility, Henry's law constant (H), = 0.75 kPa.m³/mol

Conditions 20°C Not significant

12.5 Results of PBT and VPVB

assessment

This substance is not considered to be persistent, bioaccumulating nor

toxic (PBT)

This substance is not considered to be very persistent nor very

bioaccumulating (vPvB)

**12.6** Other adverse effects : No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**13.1** Waste treatment methods : Handle in accordance with good industrial hygiene and safety practice.

Refer to protective measures listed in sections 7 and 8. Empty

containers retain residue (liquid

and/or vapour) and can be dangerous. Do not burn, or use a cutting

torch on, the empty drum.

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste must be classified and labelled prior to recycling or disposal. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for

which the product was used.

13.2 Additional Information : None

### **SECTION 14. TRANSPORT INFORMATION**

14.1 Land transport (ADR/RID)

UN number : UN 2014

Proper Shipping Name : HYDROGEN PEROXIDE, AQUEOUS SOLUTION

Transport hazard class(es) : 5.1

ADR/RID-Labels : 5.1 – Oxidizing substances

8 - Corrosive

Packing Group

Hazard label(s)



Environmental hazards : None Special precautions for user : None

14.2 Sea transport (IMDG)

UN number : UN 2014

Proper Shipping Name : HYDROGEN PEROXIDE, AQUEOUS SOLUTION

Transport hazard class(es) : 5.1

IMDG Labels : 5.1 – Oxidizing substances

8 - Corrosive

Packing Group : II
Marine Pollutant : No
Special precautions for user : None

TD075-SP-025 Page: 9/11 Date: 2020-05-19 Revision 2.0



14.3 Air transport (ICAO/IATA)

UN number : UN 2014

Proper Shipping Name : HYDROGEN PEROXIDE, AQUEOUS SOLUTION

Transport hazard class(es) : 5.1

ICAO labels : 5.1 – Oxidizing substance

8 - corrosive

Packing Group : II
Environmental hazards : None
Special precautions for user : None

14.4 Transport in bulk according to

Annex II of MARPOL73/78 and the

**IBC Code** 

: Not applicable

### **SECTION 15. REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture substance or

mixture

15.1.1 New Zealand regulations

NZ EPA HSNO Act 1996 : Complies

Approval number - HSR001326

**15.1.2** Other National regulations : Refer to national regulation for details of any actions or restrictions by

relevant regulations or directives

Australia : Australian Inventory of Chemical Substances (AICS) - Complies

European Union : EU list of existing chemical substances (EINECS) - Complies

USA : Toxic Substance Control Act List (TSCA) – Complies

Canada : Domestic Substances List (DSL) - Complies

South Korea : Korean Existing Chemicals Industry (KECI(KR)) - Complies

Japan : Existing and New Chemical Substances (MITI List) (ENCS) - Complies

China : Inventory of Existing Chemical Substances (IECS) - Complies

Philippines : Philippine Inventory of Chemicals and Chemical Substances (PICCS) -

Complies

### **SECTION 16. OTHER INFORMATION**

The following sections contain : 2, 3, 9, and 15 as of February 2020. revisions or new statements

**ABBREVIATIONS & ACRONYMS** 

STOT Specific Target Organ Toxicity WEL Workplace Exposure Limit TLV Threshold Limit Value TWA Time-Weighted Average STEL Short-Term Exposure Limit LTEL Long-Term Exposure Limit **PNEC** Predicted No Effect Concentration **DNEL** Derived No Effect Level

DNEL : Derived No Effect Level

DMEL : Derived Minimal Effect Level

LOAEL : Lowest-observed-adverse-effect Level
NOAEL : No-observed-adverse-effect Level
NOEC : No Observed Effect Concentration

TD075-SP-025 Page: 10/11 Date: 2020-05-19 Revision 2.0



References : Sources of information used in preparing this SDS included one or

more of the following: results from in-house or supplier toxicology studies; publications from trade associations; ECHA publications; EU

guidelines and other sources as appropriate

Training Advice : All users should be trained

Additional Information : None

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Bioquell gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Bioquell accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

TD075-SP-025 Page: 11/11 Date: 2020-05-19 Revision 2.0